



Stilo



2023

Page 3

COMPANY PROFILE

Page 6

RALLY

▶ VENTI WRC Range	8
▶ VENTI TROPHY Range	10
▶ WRC DES Range	11
▶ ST5R Range	12
▶ ACCESSORIES	13
▶ COMPARISON CHART	14
▶ COMMUNICATION ACCESSORIES	16
▶ WIRELESS COMMUNICATION	18
▶ DIGITAL COMMUNICATION	20
▶ ANALOGIC COMMUNICATION	21
▶ PRODUCTS COMPATIBILITY	22

Page 24

RACING

▶ ST5FN ABP Range	26
▶ ST5FN Range	27
▶ ST5F Range	28
▶ ST5 GT Range	29
▶ ST5 GTN Range	30
▶ OPEN FACE Range	31
▶ COMPARISON CHART	32
▶ ST5 ACCESSORIES	34
▶ ELECTRONIC KITS	38
▶ TRACK COMMUNICATION	39
▶ HEAD & NECK RESTRAINTS	41

Page 42

KARTING

▶ ST5FN CMR Range	44
▶ ST5FN KRT Range	46
▶ & COMPARISON CHART	
▶ RIB & CHEST PROTECTORS	47
▶ ACCESSORIES	48

Page 49

OFFSHORE

▶ OFFSHORE Range	50
▶ INTERCOMS & COMPARISON CHART	51

WHY STILO?

The name Stilo comes from the tool used by the Bronze Age to write, to imprint their first thoughts, their first ideas, their first concepts. In time the word "stilo" evolved in "style", that is the way each person uses a stilo: your own style. And our style is that of making products that leave a mark, exactly like a stilo in our ancestors wax boards.

OUR PHILOSOPHY

Top functionality. Everything a driver needs must be standard feature: intercom, connections, earmuffs, drinking system, etc.

1999

- Foundation

2000

- First helmet sold
- Origin of the WRC, the world's first open-face helmet designed around the intercom

2003

- First company worldwide to create a Bluetooth intercom for motorbikes

2004

- Debut in the World Rally Championship with Gilles Panizzi

2005

- First World Rally Championship victory with Sébastien Loeb

2008

- Birth of the ST4: Stilo professional helmet for racing. The world's first FIA8860-2004 certified racing helmet with earmuffs and integrated drinking system

2009

- Stilo develops ST-30, the world's first intercom featuring 2 circuits, one in use and one for backup
- First World Touring Car Championship victory with Gabriele Tarquini

2010

- Launch of the WRC DES, world's first FIA8860-2004 certified open-face helmet
- New operations office in 2.000 sq. m area. Energetically self-sufficient, carbon neutral on the environment
- Launch of the ST30-DES, world's first rally intercom with Bluetooth technology for mobile telephones connection

2011

- Stilo designs ST4 Zero and WRC DES Zero, world's lightest FIA 8860 certified helmets, both full face and open face
- Verbatim launch: the very first communication system for racing with Bluetooth technology for mobile phone connection

2012

- Stilo into the Rally Legend: eight World Champion title won with Sébastien Loeb and Citroën
- Stilo wins the GP2 main series with Davide Valsecchi

2013

- Stilo develops the world first rally intercom with digital noise cancellation that debuts with Volkswagen winning the World Rally Championship in Sébastien Ogier's Polo WRC

2014

- Birth of ST5, designed to be the benchmark in full-face helmets
- DG30, DG10 the world's first rally intercoms with noise digital active cancellation

2015

- Stilo officially debuts in F1
- Update to the new homologation standards FIA 8859-2015 and Snell2015
- Stilo wins the 24h of Le Mans with Porsche - LMP1

2016

- Stilo becomes part of the Simpson Performance group based in the US
- New racing communication system via radio for the PCCA championship
- Romain Dumas wins the 24h of Le Mans and the WEC title with Porsche LMP1
- Jimmie Johnson of Hendrick Motorsports Champion of the NASCAR Sprint Cup Series
- 4th WRC title won with Volkswagen Motorsport and Sébastien Ogier

2017

- In Formula 1 with Valtteri Bottas Mercedes F1 Team and Jolyon Palmer Renault F1 Team
- Earl Bamber wins the 24h of Le Mans and the WEC title with Porsche LMP1
- 5th WRC title for Sébastien Ogier and 1st for M-Sport. It's the 13th title in row for Stilo

2018

- ST5 Zero VB is the first FIA 8860-2018 certified helmet and Valtteri Bottas is the world first driver to wear a FIA 8860-2018 ABP helmet during the Spa GP
- WRC DES, ST5, ST5 ABP: the whole range updates to the new FIA 8860-2018 standard
- Felipe Albuquerque wins Daytona Rolex 24H with Audi Sport Team wearing ST5 Zero
- Stilo implements wireless technology in rally communications

2019

- Stilo becomes Official Team Supplier to Mercedes-AMG Petronas Motorsport in the FIA Formula 1 Championship
- Stilo is Official Helmet Supplier to Porsche Motorsport
- 1st WRC title for Ott Tänak and Tommi Mäkinen. 15th in a row for Stilo
- Stilo is Hyundai Motorsport Customer Racing Official Supplier
- Nyck De Vries is Formula 2 Champion with ART
- New ST5 CMR with the extra-small shell and new colours and designs for the karting range

2020

- Stilo wins the 15th WRC title in a row with Ogier and Ingrassia celebrating the 7th WRC title

2021

- Launch of the new Venti WRC open face helmet range, celebrating Stilo's 20th anniversary
- 16th WRC title in a row with Ogier and Ingrassia signing their 8th title wearing the new Venti WRC
- Nyck De Vries becomes World Champion winning Formula E
- Stilo develops and presents the Wireless communication technology, taking communications in rallying to a revolution
- Stilo and Simpson join The Holley Group, publicly listed in the stock exchange

2022

- Felipe Drugovich is Formula 2 Champion with MP Motorsport
- Nyck De Vries debuts in the FIA Formula 1 Championship on occasion of the Monza GP with the Aston Martin F1 and adds up to Valtteri Bottas - Alfa Romeo ORLEN F1 Team and Lance Stroll - Aston Martin F1 Team
- 18th WRC title in a row with Kalle Rovanperä and Jonne Halttunen signing their 1th WRC title
- Official Team Supplier to TGR Motorsport in the WRC, winners of the WRC
- Dakar winners with Nasser Al-Attiyah and Mathieu Baume

MADE IN ITALY

The engine at Stilo is fueled by the constant search for innovation through the highest technologies and a passion for motorsport with its unstoppable evolution. A helmet is part of the safety equipment to the driver and is meant to be as safe as possible in the first place but it can be something more: an element of performance.

Stilo helmets are designed, developed, prototyped, tested and produced in Italy with a KM O philosophy, **100% made in Italy**.

Starting from the driver's needs in the great variety of motorsport racing activities, Stilo **Research and Development** Department combines the **know-how** built from experience with the use of **aerodynamics materials** and the most **advanced technologies**, creating new projects and working to never stop evolving. Highly qualified personnel work in Stilo **internal laboratory** and our **carbon shop** to make prototypes, crash tests and pre-series production following strict procedures.



Each Stilo helmet is **fully hand-made** by specialised workers in Bergamo, starting from the shell and all the way down to the labelling of the helmet before shipping. Every step of the production procedures is prepared with the utmost care and strict **quality controls** are in place before and during the whole process.



All of this to offer the safest helmets, with accessories, features and functionalities that make sure our products are a perfect fit for each seat.



ANY COMPETITION

ONE HELMET



RALLY

RANGE



Partner of TOYOTA GAZOO RACING WORLD RALLY TEAM
2022 WRC Champions

INDEX

RALLY

Page 8

VENTI WRC RANGE

Page 10

TROPHY VENTI RANGE

Page 11

WRC DES RANGE

Page 12

ST5R RANGE

Page 13

ACCESSORIES

Page 14

COMPARISON CHART

Page 16

COMMUNICATION ACCESSORIES

Page 18

WIRELESS COMMUNICATION

Page 20

DIGITAL COMMUNICATION

Page 21

ANALOGIC COMMUNICATION

Page 22

PRODUCTS COMPATIBILITY



K. ROVANPERÄ

stilo

PURO technology for all carbon shells

Increased comfort with brand new interior paddings

Microphone and boom shaped to enhance voice quality

Recessed side port for a cleaner look and plug protection

Compatible with WIRELESS and WIRED intercom connections *

*
INTERCOM
CONNECTION




ZERO 8860



8860





Shell structure in MSF (multi Sandwich Fibers) with Kevlar reinforcements

Shell and adjustable peak totally redesigned

Size mix in 3 shells

Plus Version Only: Compatible with WIRELESS and WIRED WRC intercom connections

New top ventilation holes to reduce sweat, and moisture and allow the use of the Top Air System

Available in silver or white outer

Adjustable short visor (Optional)

Increased comfort with brand new interior paddings



PLUS



RALLY



JET



The iconic open face designed around the intercom

Adjustable peak

Noise reduction earmuffs with adjustable ear pressure

Integrated microphone and WRC intercom connections

Carbon Piuma: As light as a feather

Adjustable short visor (optional)

Integrated speakers

Adjustable microphone position



CARBON PIUMA



COMPOSITE



Top ventilation holes to reduce sweat and moisture allowing the use of Stilo Top Air Systems

Integrated speakers with adjustable noise reduction earmuffs

Adjustable microphone

Carbon range compatible with WIRELESS intercoms

Composite range compatible with WIRED intercoms



The widest size range: from XS54 to 3XL 64

Short visors and peak available as optional *

Wider view field for a better vision

The world's lightest in our ZERO version



FIA 8860-2018



ZERO 8860



8860



CARBON



COMPOSITE



SHORT VISORS VENTI WRC / VENTI TROPHY / WRC DES



YA0229 Yellow
YA0230 Smoked Dark
YA0240 Mirror Dark

YA0241 Iridium Blue Dark
YA0266 Clear
YA0709 Red Light

PEAKS VENTI WRC / VENTI TROPHY



YA0268 Silver
YA0273 White
YA0278 Matt Black
YA0116 Black

CARBON PEAKS VENTI WRC / ST5R



YA0269 Venti Carbon
YA0270 Venti Zero and 8860

YA0862 ST5R Carbon
YA0863 ST5R Zero and 8860

PEAKS WRC DES



YA0226 Silver
YA0260 White
YA0271 Matt Black
YA0227 Carbon

PEAKS FITTING KIT

VENTI WRC / VENTI TROPHY / WRC DES



YA0114
YA0875 ST5R

PEAKS + VISORS FITTING KIT

VENTI WRC / VENTI TROPHY / WRC DES



YA0242

SHORT VISORS ST5R



YA0836 Iridium Blue Medium
YA0837.2 Iridium Red Medium
YA0838.2 Iridium Yellow Dark

YA0854 Mirror Dark
YA0891 Smoked Dark

SUNSCREEN ST5R



YA0816 Dark Grey

SHORT VISORS OR SUNSCREEN FITTING KIT ST5R



YA0817 Silver
YA0817G Gold
YA0817B Blue
YA0817R Red

SPARE INTERCOM KITS



AE0228 Venti WRC Zero / 8860
AE0226 Venti WRC Carbon / Composite
ST5R Zero / 8860 / Carbon



AE0121 Venti Trophy Plus / Jet











AE0210 WRC DES Carbon Piuma
WRC DES Composite
ST5R Composite



AE0111 Venti Trophy Rally
Venti Trophy Jet







COMPARISON CHART

VENTI WRC

VERSION	   			
	ZERO 8860	8860	CARBON	COMPOSITE
HOMOLOGATION	AA0220BG3R Hans	AA0220BG1R Hans	AA0220BG1T Hans	AA0220BG2T Hans
	FIA 8860 2018	FIA 8860 2018	FIA 8859 2015 SNELL SA2020	FIA 8859 2015 SNELL SA2020
MATERIAL	HIGH TENSILE CARBON	MEDIUM TENSILE CARBON	NORMAL TENSILE CARBON	FIBERGLASS KEVLAR MSF MULTI SANDWICH FIBER
	small 1.190 g*	small 1.330 g*	small 1.240 g*	small 1.480 g*
WEIGHT	medium 1.220 g*	medium 1.380 g*	medium 1.280 g*	medium 1.540 g*
	large 1.510 g*	large 1.510 g*	large 1.390 g*	large 1.620 g*
SIZE	small XS 54, S 55, M 57, L 58	small XS 54, S 55, M 57, L 58	small XS 54, S 55, M 57, L 58	small XS 54, S 55, M 57, L 58
	medium L 59, XL 61	medium L 59, XL 61	medium L 59, XL 61	medium L 59, XL 61
INTERCOM	AE0228 - Pro WL and Wired	AE0228 - Pro WL and Wired	AE0226 WL and Wired	AE0226 WL and Wired
COLORS				

*Communication kit included, M6 ready. ± 30 g

VENTI TROPHY

VERSION	  		
	PLUS	RALLY	JET
HOMOLOGATION	AA0112EG2T Hans	AA0112DF2T AA0112DG2T Hans	AA0112AF2T AA0112AG2T Hans
	FIA 8859 2015 SNELL SA2020	FIA 8859 2015 SNELL SA2020	FIA 8859 2015 SNELL SA2020
MATERIAL	FIBERGLASS KEVLAR MSF MULTI SANDWICH FIBER	FIBERGLASS KEVLAR MSF MULTI SANDWICH FIBER	FIBERGLASS KEVLAR MSF MULTI SANDWICH FIBER
	small 1.450 g*	small 1.385 g*	small 1.310 g**
WEIGHT	medium 1.510 g*	medium 1.445 g*	medium 1.360 g**
	large 1.590 g*	large 1.525 g*	large 1.440 g**
SIZE	small XS 54, S 55, M 57, L 58	small XS 54, S 55, M 57, L 58	small XS 54, S 55, M 57, L 58
	medium L 59, XL 61	medium L 59, XL 61	medium L 59, XL 61
INTERCOM	AE0121 WL and Wired	AE0111 Wired	—
COLORS			

*Communication kit included, M6 ready. ± 30 g








**M6 ready. ± 30 g

WRC DES

VERSION	 	
	CARBON PIUMA	COMPOSITE
	AA0210BG1M Hans	AA0210BG2M Hans
HOMOLOGATION	FIA 8859 2015	FIA 8859 2015
MATERIAL	NORMAL TENSILE CARBON	FIBERGLASS KEVLAR MSF MULTI SANDWICH FIBER
WEIGHT	small 1.230 g* large 1.350 g*	small 1.450 g* large 1.530 g*
SIZE	small XS 54, S 55, M 57 large L 59, XL 61	small XS 54, S 55, M 57 large L 59, XL 61, 2XL 63, 3XL 64
INTERCOM	AE0210 Wired	AE0210 Wired
COLORS		

*Communication kit included, M6 ready. ± 30 g

ST5R

VERSION	   			
	ZERO 8860	8860	CARBON	COMPOSITE
	AA0701RG3R Hans	AA0701RG1R Hans	AA0701RG1T Hans	AA0701BG2T Hans
HOMOLOGATION	FIA 8860 2018	FIA 8860 2018	FIA 8859 2015 SNELL SA2020	FIA 8859 2015 SNELL SA2020
MATERIAL	HIGH TENSILE CARBON	MEDIUM TENSILE CARBON	NORMAL TENSILE CARBON	FIBERGLASS KEVLAR MSF MULTI SANDWICH FIBER
WEIGHT	small 1.280 g* large 1.480 g*	small 1.420 g* large 1.540 g*	small 1.360 g* large 1.510 g*	small 1.590 g* large 1.700 g*
SIZE	small XS 54, S 55, M 57, L 59 large L 60, XL 61, 2XL 63, 3XL 64	small XS 54, S 55, M 57, L 59 large L 60, XL 61, 2XL 63, 3XL 64	small XS 54, S 55, M 57, L 59 large L 60, XL 61, 2XL 63, 3XL 64	small XS 54, S 55, M 57, L 59 large L 60, XL 61, 2XL 63, 3XL 64
INTERCOM	AE0226 WL and Wired	AE0226 WL and Wired	AE0226 WL and Wired	AE0210 Wired
COLORS				

*Communication kit included, M6 ready. ± 30 g

OPEN-FACE KIT WITH EARMUFFS



AE0104
WRC intercom kit for open-face helmets with earmuffs

FULL-FACE KIT WITH EARMUFFS



AE0105
WRC intercom kit for full-face helmets with earmuffs

ADAPTERS



AC0204.2
Stilo WRC helmet to Peltor intercom (or similar)



AC0200
Stilo WRC intercom to Peltor helmet (or similar)

POWER SUPPLY



YB0100
Stilo WRC helmet to Peltor intercom (or similar)

OPEN-FACE KITS



AE0103
WRC intercom kit for open-face helmets

FULL-FACE KITS



AE0102
WRC intercom kit for full-face helmets



AC0100.2
Stilo Trophy Rally helmet to Terraphone intercom



AC0101.2
Stilo Trophy intercom to Terraphone helmet

EXTRA FILTER



YY0030
Isolating filter for DG-10 intercom (1 in / 2 out RCA)

WIRING CONNECTIONS



Intercom to helmet extension cable
YB0307.2 2,5 mt coil incl.
YB0317.2 0,45 mt coil incl.
YB0319.2 0,21 mt no coil



Stilo helmet to phone 3,5 mm jack
YB0311



Intercom to 3,5 mm jack camera connection
YB0312

TROPHY

AE0101
TROPHY intercom kit for open-face helmets

TROPHY

AE0100
TROPHY intercom kit for full-face helmets

EMERGENCY KIT



YA0001
Spare electronics kit: it is like carrying a spare helmet in the co-driver bag

HEADSETS



AD0210
Excellent noise protection, maximum comfort, "flex" boom, no joints. WRC intercom connection



AD0110
Excellent noise protection, maximum comfort, "flex" boom, no joints. TROPHY intercom connection



YA0212
Spare hygienic kit for AD0210 and AD0110 headsets



WIRELESS COMMUNICATION

WL-10 Wireless Intercom is the next step in rally intercom technology as connection, as the name describes, is now completely wireless with the crew's helmets. Based on the world's active digital noise-cancelling Stilo DG10 intercom, the WL-10 Wireless has had a few more improvements making this the ultimate in motorsport communications and the worlds first wireless intercom for rallying. Design and functionalities have been fine-tuned allowing the best noise-cancelling intercom on the market. An additional extra is a wireless headset for use on-road sections.



Shaped to be perfectly integrated with the geometry of the helmet



To be plugged directly to the side port of the helmet



Power and volume controls





WL-KEY AG0001
WIRELESS

The Wireless helmet keys and headsets have their own battery which when fully charged has enough power to allow up to 5 hours of continuous talk time. Charging of these items is through a USB plug. These keys have been designed to plug directly into the Venti WRC, Venti Trophy Plus and ST5R WL helmets.

HOW IT WORKS

The helmet key is plugged into the helmet side port and paired with the intercom, allowing the connection to work up to a 10 metres distance, this allowing the crew to exit the car with their helmets on and still talk to each other. Powered from the car's 12 volt supply the biggest change in this intercom is the Wireless functionality allowing you to drop the connection cables with the crew's helmet.




- Keyboard with all the features of our DG 10 intercom
- No cables to the helmets



*On with green button

WL-10 AB0520

WIRELESS



AG0001

The bundle includes
1 WL-10 intercom (AB0520)
and 2 wireless helmet keys
WL-KEY (AG0001)
paired and ready to use



AD0225

Wireless headsets
for use on-road sections




The WL-10 features 1 output for the crew's communications to a camera system and 1 input for a radio interface.

CG0020

Radio interface for for WL-10 - Universal
CG0021
Radio interface for for WL-10
Prepared for connections with radio
cables (YD0202 to YD0211)
PTT cable YC0011 included

THE WORLD FIRST DIGITAL INTERCOMS

How does it work? Digital, unlike the limited capabilities of old analog intercoms, has the capability of active digital noise cancelling, which in a millisecond can separate the vitally important sound of the drivers voices from the excessive bad noises of the engine, transmissions and road surface and filter these right down while improving the more important sound of the communications between driver and co-driver.



DG - 30

- Digital active noise cancellation with SDA filter
- Separate main intercom box which can be positioned under the seats to offer a lower center of gravity
- Remote control panel
- Integrated Bluetooth module
- Camera and radio connections



MAIN UNIT



REMOTE CONTROL PANEL

AB0601
DG - 30 Bluetooth
Remote control panel
and main unit



YB0600.2
Helmets connection
cable (not included)

DG - 10

Developed directly from DG - 30: same digital active noise cancellation with simplified functions

- Digital active noise cancellation with sda filter
- Integrated bluetooth for mobile phone connection
- Camera and radio connections
- Helmet connection cables integrated



AB0500
DG -10 Bluetooth



- CG0013 Radio interface for DG-10 intercom
- CG0014 Kenwood radio interface for DG-10 intercom - YC0001 PTT included
- CG0017 Motorola radio interface for DG-10 intercom - YC0001 PTT included
- YY0030 Isolating Filter for DG-10 intercom (1 IN / 2 OUT RCA)

WRC DES 9V

The best of Stilo's analogic noise cancellation available thanks to the "Extra Filter". Fed from the car power supply and 9V battery. Bluetooth connection with mobile telephones not available.

- The best analogic Stilo audio quality and the maximum ease of use at a price with no equal
- Camera or Radio connection
- Powered by a 9 volt battery or fed from the car power supply



Extra filter even more effective. Moving the switch to "Extra Filter" the background noises are strongly damped and the co-driver voice's louder to the driver. Since the driver's voice sounds lower to the co-driver, it is recommended that the Extra Filter is set to off during transfers.



AB0214



Camera OUT (low or high level) or radio IN switch

WRC 03

- Specifically designed for roll-bars fitment
- ON/OFF control with the co-driver plug-in
- Separated volumes, 9 V standard power supply and 12 V available option
- Camera connection



AB0200



AB0102

TROPHY 2

- Individual volume controls
- 9 Volt battery or 12 Volt optional adapter
- Camera connection
- ON/OFF led
- High quality metal jacks
- Special design for roll-bar fitting

WIRELESS RANGE

WRC RANGE

TROPHY RANGE



VENTI WRC
RANGE

VENTI TROPHY
PLUS

ST5R CARBON
RANGE



WRC DES
RANGE

ST5R
COMPOSITE



VENTI TROPHY
RALLY

WL10



WL - KEYS



DG - 30

DG - 10



WRC DES 9V



WRC 03



TROPHY 2



AD0225



AD0210



AE0104



AE0105



YA0001



AE0102



AE0103



AC0200



AC0204.2



AD0110



AC0101.2



AC0100.2



AE0101




AE0100



RACING

RANGE



OFFICIAL HELMET SUPPLIER

PORSCHE
MOTORSPORT



INDEX

RACING

- Page 26 ST5FN ABP RANGE
- Page 27 ST5FN RANGE
- Page 28 ST5F RANGE
- Page 29 ST5 GT RANGE
- Page 30 ST5 GTN RANGE
- Page 31 OPEN FACE RANGE
- Page 32 COMPARISON CHART
- Page 34 ST5 ACCESSORIES
- Page 38 ELECTRONIC KITS
- Page 39 TRACK COMMUNICATION
- Page 41 HEAD & NECK RESTRAINTS



Design and top extra holes for advanced aerodynamics and ventilation

The WORLD's first FIA8860-2018 ABP certified helmet

The widest size range, certified from XS54 to 3XL64

Internal comfort padding designed to improve performance in open cars

Ready for installation of different radio communication kits



Increased energy absorption

ABP: Advanced Ballistic Protection. Extended area of protection in the forehead area

Dedicated smaller visor shape

Multi function two-step visor locking clasp

FIA 8860-2018 ABP



VB ABP ZERO



ABP ZERO



FIA 8860-2018 ABP



ABP 8860



ST5FN VB ABP ZERO

► **Valtteri Bottas** successfully used ST5FN VB ABP Zero on occasion of the Belgian F1 GP in Spa during FP1 in 2018. Narrower, even smaller and produced with an avant-guard technology. It is available in size M-57.

Design and top holes for advance aerodynamics and ventilation

Adjustable ear paddings for the best comfort

Multi function two-step visor locking clasp

The world's lightest in our ZERO version



The whole range is available in 4 materials

View field shaped for a wide vision in all cockpits

Shell and internals designed to adjust the air flow and improve breathability

Prepared for frontal drinking system

Ready for installation of different radio communication kits



ZERO 8860



8860



CARBON



COMPOSITE



— Helmet color
— Interior color

FIA 8860-2018

FIA 8859-2015
SNELL SA2020

Design and top holes for advanced aerodynamics and ventilation

Versatile and suitable for both open and closed wheel racing

Adjustable ear paddings for the best comfort

Multi function two-step visor locking clasp

Prepared for side integrated or frontal drinking system

The whole range is available in 4 materials

View field shaped for a wide vision in all cockpits

Shell and internals designed to adjust the air flow and improve breathability

Integrated microphone, earplugs connection and radio connection



FIA 8860-2018



ZERO 8860



8860



FIA 8859-2015
SNELL SA2020



CARBON



COMPOSITE



Design and top holes for advanced aerodynamics and ventilation

Ideal for closed wheel racing

Adjustable short sunscreen.
Short visors available as optional

Prepared for side integrated or frontal drinking system



The whole range is available in 4 materials

Adjustable ear paddings for the best comfort

Shell and internals designed to adjust the air flow and improve breathability

No hanging cables. Earplugs and radio connection cable available as optional.

Integrated microphone, earplugs connection and radio connection



ZERO 8860



8860



CARBON



COMPOSITE



— Helmet color
— Interior color

FIA 8860-2018

FIA 8859-2015
SNELL SA2020

Design and top holes for advanced aerodynamics and ventilation

Ideal for closed wheel racing

Adjustable short sunscreen.
Short visors available as optional

Adjustable ear paddings for the best comfort

Ready for installation of different radio communication kits



The whole range is available in 4 materials

Shell and internals designed to adjust the air flow and improve breathability

Prepared for frontal drinking system

No hanging cables. Earplugs and radio connection cable available as optional

FIA 8860-2018



ZERO 8860



8860



FIA 8859-2015
SNELL SA2020



CARBON



COMPOSITE



— Helmet color
— Interior color



Adjustable peak and optional visor for the whole range

Ear cups for noise reduction

Integrated plug for intercom or radio connections

Female connection for use with earplugs

Adjustable microphone



ZERO 8860 TURISMO



8860 TURISMO



CARBON TURISMO



COMPOSITE TURISMO



CARBON PIUMA TURISMO



COMPOSITE TURISMO



FIA 8859-2015

FIA 8860-2018




FIA 8859-2015
SNELL SA2020

COMPARISON CHART

ST5FN ABP

VERSION			
	V8 ABP ZERO	ABP ZERO	ABP 8860
	AA0730AG3S Hans	AA0710AG3S Hans	AA0710AG1S Hans
	HOMOLOGATION FIA 8860 - 2018 ABP	HOMOLOGATION FIA 8860 - 2018 ABP	HOMOLOGATION FIA 8860 - 2018 ABP
	MATERIAL HIGH TENSILE CARBON	MATERIAL HIGH TENSILE CARBON	MATERIAL MEDIUM TENSILE CARBON
	WEIGHT extra small ---	WEIGHT small --- large ---	WEIGHT small --- large ---
	SIZE extra small M 57	SIZE small XS 54, S 55, M 57, L 59 large L 60, XL 61, 2XL 63, 3XL 64	SIZE small XS 54, S 55, M 57, L 59 large L 60, XL 61, 2XL 63, 3XL 64
	INTERCOM Optional on demand	INTERCOM Optional on demand	INTERCOM Optional on demand
	COLORS 	COLORS 	COLORS 

ST5FN

VERSION				
	ZERO 8860	8860	CARBON	COMPOSITE
	AA0710AG3R Hans	AA0710AG1R Hans	AA0710AG1T Hans	AA0710AG2T Hans
	HOMOLOGATION FIA 8860 - 2018	HOMOLOGATION FIA 8860 - 2018	HOMOLOGATION FIA 8859-2015 SNELL SA2020	HOMOLOGATION FIA 8859-2015 SNELL SA2020
	MATERIAL HIGH TENSILE CARBON	MATERIAL MEDIUM TENSILE CARBON	MATERIAL NORMAL TENSILE CARBON	MATERIAL FIBERGLASS KEVLAR MGF MULTI SANDWICH FIBER
	WEIGHT small 1.230 g* large 1.430 g*	WEIGHT small 1.370 g* large 1.490 g*	WEIGHT small 1.310 g* large 1.460 g*	WEIGHT small 1.540 g* large 1.650 g*
	SIZE small XS 54, S 55, M 57, L 59 large L 60, XL 61, 2XL 63, 3XL 64	SIZE small XS 54, S 55, M 57, L 59 large L 60, XL 61, 2XL 63, 3XL 64	SIZE small XS 54, S 55, M 57, L 59 large L 60, XL 61, 2XL 63, 3XL 64	SIZE small XS 54, S 55, M 57, L 59 large L 60, XL 61, 2XL 63, 3XL 64
	INTERCOM Optional on demand	INTERCOM Optional on demand	INTERCOM Optional on demand	INTERCOM Optional on demand
	COLORS 	COLORS 	COLORS 	COLORS 









*M6 ready. ± 30 g

ST5F

VERSION				
	ZERO 8860	8860	CARBON	COMPOSITE
	AA0700CG3R Hans	AA0700CG1R Hans	AA0700CG1T Hans	AA0700CG2T Hans
	HOMOLOGATION FIA 8860 - 2018	HOMOLOGATION FIA 8860 - 2018	HOMOLOGATION FIA 8859-2015 SNELL SA2020	HOMOLOGATION FIA 8859-2015 SNELL SA2020
	MATERIAL HIGH TENSILE CARBON	MATERIAL MEDIUM TENSILE CARBON	MATERIAL NORMAL TENSILE CARBON	MATERIAL FIBERGLASS KEVLAR MGF MULTI SANDWICH FIBER
	WEIGHT small 1.280 g* large 1.480 g*	WEIGHT small 1.420 g* large 1.540 g*	WEIGHT small 1.360 g* large 1.510 g*	WEIGHT small 1.590 g* large 1.700 g*
	SIZE small XS 54, S 55, M 57, L 59 large L 60, XL 61, 2XL 63, 3XL 64	SIZE small XS 54, S 55, M 57, L 59 large L 60, XL 61, 2XL 63, 3XL 64	SIZE small XS 54, S 55, M 57, L 59 large L 60, XL 61, 2XL 63, 3XL 64	SIZE small XS 54, S 55, M 57, L 59 large L 60, XL 61, 2XL 63, 3XL 64
	INTERCOM AE0211	INTERCOM AE0211	INTERCOM AE0211	INTERCOM AE0211
	COLORS 	COLORS 	COLORS 	COLORS 









*Communication kit included, M6 ready. ± 30 g

ST5 GT

VERSION				
	ZERO 8860	8860	CARBON	COMPOSITE
	AA0702CG3R Hans	AA0702CG1R Hans	AA0702CG1T Hans	AA0702CG2T Hans
	HOMOLOGATION FIA 8860 - 2018	HOMOLOGATION FIA 8860 - 2018	HOMOLOGATION FIA 8859-2015 SNELL SA2020	HOMOLOGATION FIA 8859-2015 SNELL SA2020
	MATERIAL HIGH TENSILE CARBON	MATERIAL MEDIUM TENSILE CARBON	MATERIAL NORMAL TENSILE CARBON	MATERIAL FIBERGLASS KEVLAR MGF MULTI SANDWICH FIBER
	WEIGHT small 1.210 g* large 1.410 g*	WEIGHT small 1.350 g* large 1.470 g*	WEIGHT small 1.290 g* large 1.440 g*	WEIGHT small 1.520 g* large 1.630 g*
	SIZE small XS 54, S 55, M 57, L 59 large L 60, XL 61, 2XL 63, 3XL 64	SIZE small XS 54, S 55, M 57, L 59 large L 60, XL 61, 2XL 63, 3XL 64	SIZE small XS 54, S 55, M 57, L 59 large L 60, XL 61, 2XL 63, 3XL 64	SIZE small XS 54, S 55, M 57, L 59 large L 60, XL 61, 2XL 63, 3XL 64
	INTERCOM AE0211	INTERCOM AE0211	INTERCOM AE0211	INTERCOM AE0211
	COLORS 	COLORS 	COLORS 	COLORS 













*Communication kit included, M6 ready. ± 30 g

ST5 GTN

VERSION				
	ZERO 8860	8860	CARBON	COMPOSITE
	AA0712AG3R Hans	AA0712AG1R Hans	AA0712AG1T Hans	AA0712AG2T Hans
	HOMOLOGATION FIA 8860 - 2018	HOMOLOGATION FIA 8860 - 2018	HOMOLOGATION FIA 8859-2015 SNELL SA2020	HOMOLOGATION FIA 8859-2015 SNELL SA2020
	MATERIAL HIGH TENSILE CARBON	MATERIAL MEDIUM TENSILE CARBON	MATERIAL NORMAL TENSILE CARBON	MATERIAL FIBERGLASS KEVLAR MSF MULTI SANDWICH FIBER
	WEIGHT small 1.160 g* large 1.360 g*	WEIGHT small 1.300 g* large 1.420 g*	WEIGHT small 1.240 g* large 1.390 g*	WEIGHT small 1.470 g* large 1.580 g*
	SIZE small XS 54, S 55, M 57, L 59 large L 60, XL 61, 2XL 63, 3XL 64	SIZE small XS 54, S 55, M 57, L 59 large L 60, XL 61, 2XL 63, 3XL 64	SIZE small XS 54, S 55, M 57, L 59 large L 60, XL 61, 2XL 63, 3XL 64	SIZE small XS 54, S 55, M 57, L 59 large L 60, XL 61, 2XL 63, 3XL 64
	INTERCOM Optional on demand	INTERCOM Optional on demand	INTERCOM Optional on demand	INTERCOM Optional on demand
	COLORS 	COLORS 	COLORS 	COLORS 

*M6 ready. ± 30 g

OPEN FACE

VERSION						
	ZERO 8860 TURISMO	8860 TURISMO	CARBON TURISMO	COMPOSITE TURISMO	PIUMA CARBON TURISMO	COMPOSITE TURISMO
	AA0220CG3R Hans	AA0220CG1R Hans	AA0220CG1T Hans	AA0220CG2T Hans	AA0210CG1M Hans	AA0210CG2M Hans
	HOMOLOGATION FIA 8860 - 2018	HOMOLOGATION FIA 8860 - 2018	HOMOLOGATION FIA 8859 2015 - SNELL 2020	HOMOLOGATION FIA 8859 2015 - SNELL 2020	HOMOLOGATION FIA 8859 2015	HOMOLOGATION FIA 8859 2015
	MATERIAL HIGH TENSILE CARBON	MATERIAL MEDIUM TENSILE CARBON	MATERIAL NORMAL TENSILE CARBON	MATERIAL FIBERGLASS KEVLAR MSF MULTI SANDWICH FIBER	MATERIAL NORMAL TENSILE CARBON	MATERIAL FIBERGLASS KEVLAR MSF MULTI SANDWICH FIBER
	WEIGHT small 1.190 g* medium 1.220 g*	WEIGHT small 1.330 g* medium 1.380 g* large 1.510 g*	WEIGHT small 1.240 g* medium 1.280 g* large 1390 g*	WEIGHT small 1.480 g* medium 1.540 g* large 1.620 g*	WEIGHT small 1.080 g large 1.160 g	WEIGHT small 1.330 g large 1.380 g
	SIZE small XS 54, S 55, M 57, L 58 medium L 59, XL 61	SIZE small XS 54, S 55, M 57, L 58 medium L 59, XL 61 large 2XL 63, 3XL 64	SIZE small XS 54, S 55, M 57, L 58 medium L 59, XL 61 large 2XL 63, 3XL 64	SIZE small XS 54, S 55, M 57, L 58 medium L 59, XL 61 large 2XL 63, 3XL 64	SIZE small XS 54, S 55, M 57 large L 59, XL 61	SIZE small XS 54, S 55, M 57 large L 59, XL 61, 2XL 63, 3XL 64
	INTERCOM AE0227	INTERCOM AE0227	INTERCOM AE0227	INTERCOM AE0227	INTERCOM AE0211	INTERCOM AE0211
	COLORS 	COLORS 	COLORS 	COLORS 	COLORS 	COLORS 

*Communication kit included, M6 ready. ± 30 g

ST5 ACCESSORIES

FULL VISORS

Anti-fog and anti-scratch visors.
Note: to preserve the applied anti-fog inside treatment, visors should NOT be cleaned with water-based products.



YA0800 Clear



YA0801 Smoked medium



YA0802 Smoked dark



YA0803 Mirror medium



YA0804 Mirror dark



YA0805 Iridium blue medium



YA0806 Iridium blue dark



YA0807.2 Iridium red medium



YA0808.2 Iridium red dark



YA0809.2 Iridium yellow medium



YA0810.2 Iridium yellow dark



YA0813 Iridium yellow dark



YA0814 Clear double glaze



YA0815 Yellow double glaze



YA0851 Clear no anti-fog

All visors are available in the ABP versions for use with ST5FN ABP helmets.

SHORT VISORS



YA0836 Iridium Blue Medium
YA0837.2 Iridium Red Medium
YA0838.2 Iridium Yellow Dark

YA0854 Mirror Dark
YA0891 Smoked Dark

GT SUN SCREEN



YA0816

BREATH DEFLECTOR



YA0873

VISOR AND TEAR-OFF TOOL



YY0028

TEAR-OFF AND SUN STRIP STICKER



YA0820-CP

Package (3 tear-off films stuck together), 3 pieces kit. With perimeter seal

YA0829-CP

Package (10 tear-off films stuck together), 3 pieces kit. With perimeter seal

YA0819

Package with 5 single tear-off films

YA0821

Visor sun strip sticker

FULL VISOR LOCKING SYSTEM



YA0818

VISOR WASHERS KIT



YA0890 3 pieces kit

VISORS OR SUNSCREEN FITTING KIT

YA0817 Silver YA0817B Blue
YA0817G Gold YA0817R Red



AIR INTAKES

Designed to bring fresh air into the helmet at speed and extract hot air through the helmet top holes

YA0822



YA0861
Lower profile

**FRONT SPOILERS**

YA0870 Small
YA0823 Large

Stabilizes aerodynamic vibrations at high speed
[position as shown in picture]

**BACK SPOILER**

YA0623

Stabilizes aerodynamic vibrations at high speed
[position as shown in picture]

INDYCAR AERO KIT

YA0674

Stabilizes aerodynamic
vibrations at high speed
[position as shown in picture]

AIR SYSTEM KITS The exclusive Stilo **Top Air System** takes fresh air to the driver's head and nose. The Top Air System can be fitted onto ST5 Formula and GT models.

SHORT MODULAR TOP AIR KITS



YA0892
Modular short top air for Venti WRC and ST5 with main adapter. To be used with YA0895 or YA0896



YA0896
Modular straight fitting with Ø 32mm connection. Compatible with Maglock® connector



YA0895
Modular 90° angled fitting with Ø 32mm connection. Compatible with Maglock® connector



SHORT TOP AIR KITS



YA0889
Top Air System for Venti WRC and ST5 with oval connector



YA0897
Top Air System for Venti WRC and ST5 with smaller round connector

MODULAR TOP AIR KITS



YA0893 small shell
YA0894 large shell
Modular top air for ST5 with main adapter. To be used with YA0895 or YA0896



YA0896
Modular straight fitting with Ø 32mm connection. Compatible with Maglock® connector



YA0895
Modular 90° angled fitting with Ø 32mm connection. Compatible with Maglock® connector



TOP AIR KITS



YA0834 small shell
YA0857 large shell
Top Air System for ST5 with oval connector



YA0853 small shell
YA0859 large shell
Top Air System for ST5 with smaller round connector

ADJUSTABLE TOP AIR KITS The air flow can be directed to the driver's face for a better breathing or for cooling the driver's head.



YA0833 small shell
YA0856 large shell
Adjustable Top Air System for ST5 with oval connector



YA0852 small shell
YA0858 large shell
Adjustable Top Air System for ST5 with smaller round connector

YA0714
45° cuff for Ø 1.5 inches to helmet Top Air oval hose



SIDE AIR KIT



YA0653
Integrated air coupling for Ø 20 mm tubes

YA0639
Coupling for YA0653 up to Ø 32 mm tubes





INTEGRATED DRINKING SYSTEM

ST5 is homologated with a drinking system integrated. The silicon tube with bite valve is installed inside the helmet, where a dedicated housing channel in the cheek pads connects it to the shell plug and the female quick coupling installed on the outside.



FRONTAL DRINKING SYSTEM

ST5 is prepared for the frontal installation of the drinking system. Both left and right shell front grids can be opened for the tube to pass through and meet the dedicated passage in the internal chin pad.



- YA0600** Inner side of the helmet comprising
- YA0601** Bite valve in silicon rubber with anti-backflow system
- YA0602** Water tube
- YA0603** Male quick coupling
- YA0605** Hydration bag comprising
- YA0604** Female quick coupling



ADJUSTABLE PEAKS



REMOVABLE CUPS



PEAK FITTING KIT



SPARE INTERCOM KIT



COLOURED POST ANCHORS



ELECTRONIC KITS

HELMET KITS

EUROPE

INTEGRATED			
	EAR-BUD	MICROPHONE	RADIO
AE0214	Jack 3.5 mm	Stilo	-
AE0219	RCA	MRTC	-
AE0318	Stilo	MRTC	-
AE0332	RCA	Stilo	-
NON-INTEGRATED			
	EAR-BUD	MICROPHONE	RADIO
AE0305	RCA	Stilo	Stilo female nexus 4c
AE0313	RCA	Stilo	Peltor male nexus 4c
AE0314	RCA	MRTC	MRTC male nexus 5c
AE0315	Stilo	Stilo	Stilo female nexus 4c
AE0317	RCA	MRTC	Stilo female nexus 4c
AE0319	Stilo	MRTC	Stilo female nexus 4c
AE0331	Jack 3.5 mm	Stilo	Peltor male nexus 4c
AE0333	Jack 3.5 mm	Stilo	Stilo female nexus 4c
AE0334	Stilo	MRTC	MRTC male nexus 5c
AE0335	RCA	Stilo	Peltor male nexus 4c

USA

INTEGRATED			
	EAR-BUD	MICROPHONE	RADIO
AE0210	Earmuff speakers	Stilo	-
AE0110	Earmuff speakers	Stilo with boom	-
AE0214	Jack 3.5 mm	Stilo	-
AE0216	Earmuff speakers	Gentex with boom	-
AE0217	Jack 3.5 mm	Gentex with boom	-
AE0320	Earmuff speakers and ear-bud jack 3.5 mm	Gentex with boom	-
NON-INTEGRATED			
	EAR-BUD	MICROPHONE	RADIO
AE0309	Jack 3.5 mm	Stilo	IMSA
AE0310	Jack 3.5 mm	Stilo	Nascar
AE0323	Jack 3.5 mm	Gentex with boom	IMSA
AE0324	Jack 3.5 mm	Gentex with boom	Nascar
AE0339	Earmuff speakers with jack 3.5 mm male plug for Raceceiver	-	-

RADIO ADAPTERS

AC0204 Common radio
AC0220 Common radio (longer ver.)



AC0206 MRTC
AC0217 MRTC (longer ver.)



AC0212 USA IMSA
AC0224 USA IMSA (longer ver.)



AC0213 Nascar 3C
AC0225 Nascar 3C (longer ver.)



EARPLUGS

AE0300 Stilo earplugs
AE0326 RCA earplugs
AE0303 Jack 3,5 mm earplugs
YE0001 Spare foam plugs



MALE PLUGS



EARMUFF SPEAKERS



AE0304 Stilo male plug
AE0325 RCA male plug
AE0336 Jack 3,5 mm male plug

EARPLUG ADAPTERS

AC0221 Earplugs with RCA male plug to Stilo helmets



AC0222 Earplugs with 3,5 mm male plug to Stilo helmets



RADIO CONNECTIONS

RADIO TO HELMET INTERFACE

Wired interface connecting the helmet to a car radio, comprising the interchangeable steering-wheel PTT button. Ready to be used with the radio connection wirings shown here below with part numbers YD0202 to YD0211.

RADIO WIRINGS

The CG0007 helmet interface and the universal track headsets CD0212 connects to the radios through the dedicated radio wirings. Available for the following models:

YD0202 similar to VERTEX Vx-160, Vx-180

YD0203 similar to KENWOOD TK-2140/2180/3140/3180

YD0204 similar to KENWOOD TK-2160/2170/2202/3160/3170/3201/3202

YD0205 similar to MOTOROLA GP300, MOTOROLA CP Series

YD0206 similar to MOTOROLA GP320/340/360/380

YD0207 similar to MOTOROLA GP328

YD0208 similar to MOTOROLA GM350

YD0209 similar to VERTEX Vx-2200

YD0210 Universal

YD0211 ICOM IC-F51

TRACK HEADSETS

Allowing communication with the car from the pit, these headsets come with adjustable earmuffs for noise reduction. Integrated PTT button, flexible micro-holder, noise cancelling microphone. Ready to be used with the radio connection wirings shown here above with part numbers YD0202 to YD0211.



CG0007



CD0212

CUSTOMIZED RADIO SYSTEMS

The radio kit is the basic configuration for the communication via radio between one car and the engineer at the box.

The driver will have one radio, the connection wirings to his helmet, a car antenna and the PTT button to decide when to start and stop the communications. The engineer instead will have a portable radio with antenna and belt clip, one headset with a noise cancelling microphone and the connection cable for the portable radio.

The communication can also be extended from one engineer to more people at the box.

Radio kits can be customized upon request to make them suite the Team's different needs.



CG0000CUST



Contact our customer service at info@stilo.it for enquiries.

VERBACOM CLUB

How it works

Verbacom offers drivers a cost effective and very efficient car to pit communication system by using mobile phones. The Pit wall phone calls the car phone before the car starts, the car unit is programmed to automatically answer and the phone call is kept open keeping the car and Pit unit continually connected until switched off. The communication between units is always open, the pit crew press the push to talk button on the headset to transmit to the driver, whilst the driver can simply speak without pressing any button thanks to the digital noise cancellation that cancels all background noises. If for any reason the signal is lost and call is dropped, the pit phone automatically calls the car which answers it for the driver. It is as easy as that.

Available versions

CQ0008

- 1 Car kit
- 1 Pit Single Headset



CQ0009

- 1 Car kit
- 1 Pit Single Headset
- 1 Pit Double Headset



CQ0010

- 2 Car kit
- 1 Double Headset



Car kit

The club unit is totally transportable for use in any vehicle or kart. The main Bluetooth unit CG0010 is self-powered and connects to a mobile phone (not included) which is mounted in the car. This unit has volume controls and a visible system status light for the driver, and also an on/off switch. This weighing just 66 gr and measuring 74 x 47 x 15 mm it is extremely small and light.

Helmet wiring YB0307.2 with an extension cable connects into the driver's helmet (AE0300 and AE0315 are required should your helmet have no wiring).



CG0010

YB0307.2

Pit wall kit

Noise reduction headsets are self powered and have either a single or double Bluetooth unit subject to the system you buy. CD0003 and CD0004 connect to a mobile phone (not included) by Bluetooth for communication with the car, or wirelessly to the second pit headset.



CD0003
Pit Single Headset



CD0004
Pit Double Headset

HEAD & NECK RESTRAINTS

FHR - HANS



STILO HANS ZERO

AF0173 30° sz. M



HANS PRO ULTRA LITE

AF0092LITE 20° sz. M, L



HANS III

AF0102 20° sz. M, L and Youth

AF0103 30° sz. M, L



TETHER KITS

YF0006 All models - standard 18" / 45 cm

YF0007 All models - 19" / 48 cm

YF0005 All models - 17" / 42,5 cm

YF0013 All models - 16" / 40,5 cm

YF0024 Hans Zero - standard 18" / 45 cm

YF0025 Hans Zero - 17" / 42,5 cm

YF0026 Hans Zero - 19" / 48 cm

SPARE SHOULDER PADDING KIT



YF0011 Black



YF0014 Blue



YF0015 Red



YF0016 Yellow

FHR - HYBRID



HYBRID PRO LITE

AF013 sz. XS, S, M, L, XL
also available for women
and quick release



HYBRID SPORT

AF014 sz. XS, S, M, L, XL
also available for women
and quick release




HYBRID S

AF015 sz. XS, S, M, L, XL
also available
for women
and quick
release

SIMPSON

Hybrid Sizing - Chest Strap with Driving Suit On



HOW TO MEASURE

1. Measure around chest below pectoral muscles.
2. Measure with driving suit. If not available add 1" to measurement.
3. Take measurement with tape placed against driver with out any slack and with out pulling the tape tight.
4. Once measurement has been determined refer to size charts for device size selection.

KARTING

RANGE



INDEX

KARTING

Page 44

ST5FN CMR **RANGE**

Page 46

ST5FN KRT **RANGE**

Page 47

RIB & CHEST PROTECTORS

Page 48

ACCESSORIES

Stilo

ST5FN CMR

Mandatory for all drivers below 15 years of age

Extra small shell available for sizes XS54 - S55 - S56

New internals with improved comfort

Multi function two-step visor locking clasp



WHITE
VERSION

*
BREATH
DEFLECTOR
YA0884



YELLOW



GREEN



ORANGE



RED



PINK



BLUE

* Optional



YELLOW



GREEN



ORANGE



RED



PINK



BLUE

Specifically dedicated to Karting from 15 years up

Size mix from XS 54 to 3XL 64

Multi function two-step visor locking clasp

Design originated from the Formula 1 helmet ST5FN ABP

Available in black, blue or red interiors

Shell and internals designed to adjust the air flow and improve breathability

*
BREATH
DEFLECTOR
YA0884



COMPARISON CHART



KRT



RED



BLUE



ST5FN CMR

AA0719AH2P Black
AA0721AH2P White

HOMOLOGATION

SNELL CMR2016

MATERIAL
FIBERGLASS KEVLAR MCF
MULTI SANDWICH FIBER

WEIGHT
extra small 1.160 g ± 30 g
small 1.250 g

SIZE
extra small
XS 54, S 55, S 56
small
M 57, L 59

INTERCOM
Not available

COLORS



ST5FN KRT

AA0714AH2U White

HOMOLOGATION

SNELL KRT2020

MATERIAL
FIBERGLASS KEVLAR MCF
MULTI SANDWICH FIBER

WEIGHT
small 1.500 g ± 30 g
large 1.650 g

SIZE
small
XS 54, S 55, M 57, L 59
large
L 60, XL 61, 2XL 63, 3XL 64

INTERCOM
Not available

COLORS



* Optional

Stilo reinvents karting safety products by introducing the innovative and patented Carbon Curva technology in the body protectors series. Flexibility adds up to the well known lightness and high resistance features of carbon fiber. The structure of the device worn by the driver ensures a reduction of the severity of injuries to the chest in the kart seat. Thanks to its exclusive production system, the Stilo rib protector offers the highest comfort to those who wear it.

Equipped with adjustable braces for a perfect fitting at all heights and body types, from kids to adults, Stilo Carbon Curva safety devices are 100% made in Italy.


CARBON CURVA 8870

Homologated according to the FIA 8870-2018 (KARTING BODY PROTECTION) regulation. The device includes the 2 following components: Chest protection: it's the part of the device covering the frontal area of the chest of the user - Rib protection: it's the part of the device covering the rib area of the user.

HOW TO CHOOSE YOUR SIZE

To make sure the rib protector performs at best, it is crucial to choose the correct size (see chart below) and to wear it properly.

CARBON CURVA 8870 SIZE CHART		
	DRIVER'S HEIGHT	RECOMMENDED CHEST CIRCUMFERENCE
AS0002XS	116 - 134 cm	58 - 68 cm
AS0002S	134 - 152 cm	62 - 72 cm
AS0002S+	134 - 152 cm	67 - 77 cm
AS0002M	152 - 170 cm	72 - 82 cm
AS0002L	170 - 188 cm	85 - 95 cm
AS0002L+	170 - 188 cm	90 - 100 cm



HOW TO WEAR IT

To make sure the rib protector performs at best, it is crucial to choose the correct size (see chart below) and to wear it properly. The device needs to be worn under the suit and, once the blocking system has been closed, the belts need to be fastened correctly and firmly (see the following images).



CARBON CURVA

These cutting edge protectors result in a flexible fit following and adapting to the drivers' body, protecting them from impacts without limiting movement or breathing.

Available in the following sizes:

- AS0001S small
- AS0001M medium
- AS0001L large



YY0061 Helmet bag



YY0045 Backpack



YY0046 Multi - equipment dryer



YY0065 Cloth drawstring visor sock



YY0066 Drawstring antiscratch helmet sock



YY0830 Helmet skirt



YY0011 Stilo cap



YY0014 Eject system

INDEX

OFFSHORE

Page 50

OFFSHORE RANGE

Page 51

INTERCOMS
COMPARISON CHART



Stilo

Top ventilation holes to reduce sweat and moisture

Adjustable short visor (Optional)

Noise reduction earmuffs with adjustable ear pressure

Integrated microphone and WRC intercom connections

Increased comfort with brand new interior paddings

Integrated speakers

Microphone and boom shaped to enhance voice quality (Open face)

Adjustable microphone position




VENTI WRC



VENTI TROPHY



ST5F



OFFSHORE VHF

- Fully watertight
- Connection is possible with up to 6 helmets
- Equipped with PTT button and connection to on-board VHF radio
- Integrated Bluetooth available
- Feed available from the boat battery







DB0200 VHF - 2 channels
DB0201 VHF - 4 channels
DB0202 VHF - 6 channels



DB0203 with Bluetooth
 VHF - 4 channels
DB0204 with Bluetooth
 VHF - 2 channels



COMPARISON CHART

VERSION			
	VENTI WRC	VENTI TROPHY	ST5F
	DA0220BF2T	DA0112BF2T	DA0702BF2T
	HOMOLOGATION FIA 8859 - 2015 SNELL SA2020	HOMOLOGATION FIA 8859 - 2015 SNELL SA2020	HOMOLOGATION FIA 8859 - 2015 SNELL SA2020
	MATERIAL FIBERGLASS KEVLAR MGF MULTI SANDWICH FIBER	MATERIAL FIBERGLASS KEVLAR MGF MULTI SANDWICH FIBER	MATERIAL FIBERGLASS KEVLAR MGF MULTI SANDWICH FIBER
	WEIGHT small 1.520 g* medium 1.580 g* large 1.660 g*	WEIGHT small 1.490 g* medium 1.550 g* large 1.630 g*	WEIGHT small 1.650 g* large 1.770 g*
	SIZE small XS 54, S 55, M 57, L 58 medium L 59, XL 61 large 2XL 63, 3XL 64	SIZE small XS 54, S 55, M 57, L 58 medium L 59, XL 61 large 2XL 63, 3XL 64	SIZE small XS 54, S 55, M 57, L 59 large L 60, XL 61, 2XL 63, 3XL 64
	INTERCOM AE0226 WL and Wired	INTERCOM AE0121 WL and Wired	INTERCOM AE0210
	COLORS 	COLORS 	COLORS 

*Communication kit included, M6 ready. ± 30 g



Via Carducci 17 • 24066 Pedrengo (BG) Italy • Phone +39 035 690 040
Fax +39 035 691 559
info@stilo.it

Stilo U.S.A.
328 FM 306 • New Braunfels, TX 78130
Phone 800-654-RACE (7223)
stilohelmets.com

STILO.IT

ANY COMPETITION ONE HELMET